

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **NAKAGAWA, Takashi, et al.**

Serial Number: **Not Yet Assigned**

Filed: **September 30, 2003**

For. **METHOD FOR PREVENTION AND TREATMENT OF KIDNEY DISEASES**

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

September 30, 2003

Sir:

In compliance with 37 CFR 1.56, Applicant calls to the attention of the Patent and Trademark

Office the references listed on the attached PTO-1449.


A copy of each of the references are enclosed herewith.

In the event there are any fees due in connection with the filing of this paper, please charge

Deposit Account No. 01-2340.

Respectfully submitted,

ARMSTRONG, WESTERMAN & HATTORI, LLP



Sadao Kinashi
Attorney for Applicant
Reg. No. 48,075

SK /kal
Atty. Docket No. **031729**
Suite 1000
1725 K Street, N.W.
Washington, D.C. 20006
(202) 659-2930



23850

PATENT TRADEMARK OFFICE

Enclosures: PTO-1449 with 29 references

INFORMATION DISCLOSURE STATEMENT PTO-1449	Atty. Docket No. 031729	Serial No. New Application
	Applicant(s): NAKAGAWA, Takashi, et al.	
	Filing Date: September 30, 2003	Group Art Unit: Unassigned

U.S. PATENT DOCUMENTS

Examiner Initial	Document No.	Name	Date	Class	Subclass	Filing Date (If appropriate)
_____	AA					
_____	AB					

FOREIGN PATENT DOCUMENTS

Document No.	Date	Country	Translation (Yes or No)
_____	AC		
_____	AD		

OTHER DOCUMENTS

_____	AE	Bertog, Marko, et al. "Basolateral proteinase-activated receptor (PAR-2) induces chloride secretion in M-1 mouse renal cortical collecting duct cells". <i>Journal of Physiology</i> (1999), 521-1, pp. 3 - 17.
_____	AF	Gui, Yu, et al. "Bidirectional regulation of renal hemodynamics by activation of PAR ₁ and PAR ₂ in isolated perfused rat kidney." <i>Am J Physical Renal Physiol</i> 285: F95-104, 2003.
_____	AH	Trottier, Greg, et al. "PAR-2 elicits afferent arteriolar vasodilation by NO-dependent and NO-independent actions." <i>Am J Physical Renal Physiol</i> 282: F891- 897, 2002.
_____	AI	Grandaliano, Giuseppe, et al. "Protease-Activated Receptor 2 Expression in IgA Nephropathy: A Potential Role in the Pathogenesis of Interstitial Fibrosis." <i>J Am Soc Nephrol</i> 14: 2072-2083, 2003.
_____	AJ	LeHir, Michel, et al. "IL-12-Dependent, IFN- γ -Independent Experimental Glomerulonephritis." <i>Kidney Blood Press Res</i> 2001; 24-27-32.
_____	AK	ITO, Mikio, et al. "Crescentic Type Nephritis Induced By Anti-Glomerular Basement Membrane (GBM) Serum in Rats." <i>Japan J. Pharmacol.</i> 33, 1145-1154 (1983).

_____	AL	Kawabata, Atsufumi, et al. "Activation of Protease-Activated Receptor-22 (PAR-2) Triggers Mucin Secretion in the Rat Sublingual Gland." <i>Biochemical and Biophysical Research Communications</i> 270, 298-302 (2000).
_____	AM	Bahjat, Al-Ani, et al. "Detection of functional receptors for the proteinase-activated-receptor-2-activating polypeptide, SLIGRL-NH ₂ , in rat vascular and gastric smooth muscle." <i>Can. J. Physiol. Pharmacol.</i> Vol. 73, 1203-1207 (1995).
_____	AN	Kong, Wuyi, et al. "Luminal trypsin may regulate enterocytes through proteinase-activated receptor 2." <i>Proc. Natl. Acad. Sci., USA</i> Vol. 94 pp. 8884-8889 (August 1997).
_____	AO	Molino, Maria, et al. "Endothelial Cell Thrombin Receptors and PAR-2." <i>The Journal of Biological Chemistry</i> Vol. 272, No. 17 pp. 11133-11141 (April 25, 1997).
_____	AP	Ferrell, William R., et al. "Essential role for proteinase-activated receptor 2 in arthritis." <i>The Journal of Clinical Investigation</i> Vol. 111, Number 1 (January 2003).
_____	AQ	Kawagoe, Junichi, et al. "Effect of Protease-Activated Receptor-2 Deficiency on Allergic Dermatitis in the Mouse Ear." <i>Japan J. Pharmacol.</i> 88, 77-84 (2002).
_____	AR	Lindner, Jonathan, et al. "Delayed Onset of Inflammation in Protease-Activated-Receptor-2-Deficient Mice." <i>The Journal of Immunology</i> pp. 6504-6510, Copyright 2000 by the American Association of Immunologists.
_____	AS	Kanke, Toru, et al. "Proteinase-activated Receptor-2 mediated Activation of Stress-activated Protein Kinases and Inhibitory κ B Kinases in NCTC 2544 Keratinocytes." <i>The Journal of Biological Chemistry</i> , Vol. 276, No. 34, pp. 31657-31666 (Aug. 24, 2001).
_____	AT	Hou, L., et al. "Immunolocalization of protease-activated receptor-2 in skin: receptor activation stimulates interleukin-8 secretion by keratinocytes in vitro." <i>Immunology</i> 94, 356-362, Copyright 1998 Blackwell Science Ltd.
_____	AU	Compton, Steven J. et al. "The Role of Mast Cell Trypsin in Regulating Endothelial Cell Proliferation, Cytokine Release, and Adhesion Molecule Expression: Trypsin Induces Expression of mRNA for IL-1 β and IL-8 and Stimulates the Selective Release of IL-8 from Human Umbilical Vein Endothelial Cells." <i>The Journal of Immunology</i> , pp. 1939-1946, Copyright 1998 by the American Association of Immunologists.
_____	AV	He, Shaoheng, et al. "Potent Induction of a Neutrophil and Eosinophil-Rich Infiltrate In Vivo by Human Mast Cell Trypsin: Selective Enhancement of Eosinophil Recruitment by Histamine." <i>The Journal of Immunology</i> , pp. 6216-6225, Copyright 1997 by the American Association of Immunologists.
_____	AW	Vergnolle, Nathalie "Proteinase-Activated Receptor-2-Activating Peptides Induce Leukocyte Rolling, Adhesion, and Extravasation in Vivo." <i>The Journal of Immunology</i> , pp. 5064-5069, Copyright 1999 by the American Association of Immunologists.

_____	AX	Steinhoff, M., et al. "Agonists of proteinase-activated receptor 2 induce inflammation by a neurogenic mechanism." <i>Nature Medicine</i> Volume 6, Number 2 (February 2000)
_____	AY	He, Shaoheng and Walls, A. "Human mast cell tryptase: a stimulus of microvascular leakage and mast cell activation." <i>European Journal of Pharmacology</i> , 328 (1997) 89-97.
_____	AZ	Vergnolle, Nathalie, et al. "Characterization of the inflammatory response to proteinase-activated receptor-2 (PAR ₂)-activating peptides in the rat paw." <i>British Journal of Pharmacology</i> (1999) 127, 1083-1090.
_____	BA	Kawabata, Atsufumi, et al. "Increased vascular permeability by a specific agonist of protease-activated receptor-2 in rat hindpaw." <i>British Journal of Pharmacology</i> (1998) 125, 419-422.
_____	BB	Smith-Swintosky, et al. "Protease-Activated Receptor-2 (PAR-2) Is Present in the Rat Hippocampus and Is Associated with Neurodegeneration." <i>Journal of Neurochemistry</i> pp. 1890-1896 Copyright 1997 International Society for Neurochemistry.
_____	BC	Damiano, Bruce P., et al. "Increased Expression of Protease Activated Receptor-2 (PAR-2) in Balloon-Injured Rat Carotid Artery." <i>Thromb Haemost</i> 1999; 81:808-14.
_____	BD	Cicala, Carla, et al. "Protease-Activated Receptor-2 Involvement in Hypotension in Normal and Endotoxemic Rats in Vivo." www.circulationaha.org . <i>Circulation</i> May 1999, Vol. 99: 2590-2597.
_____	BE	MacFarlane, Scott R., et al. "Proteinase-Activated Receptors." <i>Pharmacol Rev</i> 53:245-282, 2001.
_____	BF	Roy, Samir. S., et al. "Dual endothelium-dependent vascular activities of proteinase-activated receptor-2-activating peptides: evidence for receptor heterogeneity." <i>British Journal of Pharmacology</i> (1998) 123, 1434-1440.
_____	BG	Matsui-Nakanishi, Mayumi, et al. "PAR3 is a cofactor for PAR4 activation by thrombin." <i>Nature</i> vol 404, pp. 609-613 April 6, 2000.
_____	BH	Nystedt, Sverker, et al. "Molecular cloning of a potential proteinase activated receptor." <i>Proc. Natl. Acad. Sci. USA</i> Vol. 91, pp. 9208-9212, September 1994.

Examiner

Date Considered